

Balanced Two-sided Matching

Tomoko Fuku, Kazuto Takai, Akira Namatame

{g43036,nama}@nda.ac.jp

Department of Computer Science, National Defense Academy, Yokosuka, 239-8686, Japan

Abstract:

In two-sided matching problem, there are overwhelming evidences that support peoples are also motivated by concerns for fairness and reciprocity. We will show that compromise which is individually irrational improves the welfare of the whole groups. The reasonable compromise level is obtained as the function of the size of the group so that the social utility should be maximized.

Keywords: two-sided matching, statistical property, compromise

1 Introduction

Some researchers have started to take a direct role in issues of designing market, e.g. labor market, a venue for bilateral trading require a proper matching. But, in considering the design of markets, is extremely complex. Markets evolve, but they are also designed. The complexity of market design comes from many factors, especially strategic behaviors of participants. A market is two-sided if there are two sets of agents, and if an agent from one side of the market can be matched only with an agent from the other side. One of the main functions of many markets is to match one kind of agent with another: e.g. students and colleges, workers and firms, marriageable men and women. A two-sided matching model is introduced by Gale and Shapley(1962), and they invented the deferred acceptance algorithm.

One of the basic problems in societies is to match one kind of agent with another, e.g. marriageable men and women students and colleges, workers and firms. A two-sided matching model was introduced by Gale and Shapley, and they focused on college admissions and marriage. They proposed that a matching (of students and colleges, or men and women) could be regarded as **stable** only if it left no pair

of agents on opposite sides of the market who were not matched to each other but would both prefer to be.

A natural application of two-sided matching models is to labor markets. Shapley and Shubik (1972) showed that the properties of stable matchings are robust to generalizations of the model which allow both matching and wage determination to be considered together. Kelso and Crawford (1982) showed how far these results can be generalized when firms, for example, may have complex preferences over the composition of their workforce. Two-sided matching models have proved useful in the empirical study of labor markets, starting with the demonstration in Roth (1984). Subsequent work has identified natural experiments which show that labor markets organized so as to produce **un**stable matchings suffer from certain kinds of difficulties which are largely avoided in comparable markets organized to produce stable matchings. This work combines the traditions of cooperative and noncooperative game theory, by considering how the strategic environment faced by market participants influences the stability of the resulting market outcome.

Much of two-sided matching theory is concerned with determining the conditions under which stable matching exist, and with what algorithms these matching can be achieved. A two-sided matching could be regarded as stable if it left no pair of agents on opposite sides of the market was not matched to each other but would both prefer to be. The relationship between the concept of Pareto optimality and the stability of a matching has been also investigated. Pareto optimality requires that no change exists that betters every individual in the population. The concept of a stable matching is stronger than that of a Pareto optimal matching, in that every stable matching is Pareto optimal, but not every Pareto optimal matching is stable. Pareto optimality requires that no two individuals wish to elope together and would receive the consent of their partners. Stable matching, by contrast, requires that no two individuals wish to elope together, whether or not their partners would consent.

For instance let consider two groups of marriageable men and women. A stable matching μ is defined as *M-optimal* if no male prefers any other stable matching. *F-optimality* is defined analogously. However, the *M-optimal* matching is not only the best stable matching for the males, it is also always the worst stable matching for the females. In fact, male and female preferences conflict in this way over any pair of stable matching, not just the *M-* and *F-optimal* ones.

In this paper, we propose a new algorithm for two-sided matching with some compromise. We discuss the self-interested hypothesis vs. human sociality hypothesis. It is an important issue such as how far agents seek their own interest in a competitive environment? There are overwhelming evidences that support peoples are also motivated by concerns for fairness and reciprocity. We showed that compromise, an individually irrational behavior, improves the welfare of others. We also obtain large-scale properties of some two-sided matching

algorithms. We show some compromises of individuals increase global welfare. The optimal compromise level is designed so that the social utility is maximized.

2 A Formulation of Two-sided matching Problem

There are two disjoint sets of agents, groups of men = $\{m_1, \dots, m_n\}$, and women = $\{f_1, \dots, f_n\}$. Associated with each side is the number of positions they have to offer. Agents on each side of the market have (transitive and strict) preferences over agents on the other side, with presented a simple model in which college applicants have ordinal preferences over schools, and colleges have ordinal preferences over applicants. How, given these preferences, could college applicants be matched to schools so as to leave both the students and the colleges as satisfied as possible? The authors derived a clever algorithm (described below) designed to create efficient pairings. Their algorithm matches students and schools in such a way that no student wishes to leave her current school for an alternative institution that would be willing to admit her. Subsequent authors expanded upon Gale and Shapley's work, extending their theoretical framework while applying two-sided matching theory to problems ranging from labor markets to human courtship and marriage.

Consider a population, each member of which falls into one of two sets: the set of all males $M = \{m_1, m_2, m_3, \dots, m_n\}$ and the set of all females $F = \{f_1, f_2, f_3, \dots, f_n\}$. Let each individual m_i or f_j have a list of strict pairing preferences P over the individuals in the other set. For example, a female f_j might have preferences $P(f_j) = \{m_1, m_4, f_j, m_3, m_2\}$, meaning that male m_1 would be her best choice, m_4 would be her second choice, and she would rather remain 'single' (represented by pairing with herself, f_j) than form a pair with either m_2 or m_3 .

A matching is simply a list of all the pairings in the population (where having oneself for a mate means that one remains single). We indicate the mate of an individual x under matching μ by using $\mu(x)$ for short. Now we are ready to consider the notion of the stability of a matching (Knuth(1962)). An individual is said to *block* the matching μ if he or she prefers remaining single to taking the mate assigned by μ . A pair m and f are said to *block* the matching μ if they are not matched by μ , but prefer one another to their mates as assigned by matching μ . Put another way, given *matching* μ , a blocking pair is a pair that would willingly abandon their mates as determined by μ and elope instead with one another. Finally, the matching μ is defined as *stable* if it is not blocked by any pair of agents.

3 Deferred Acceptance Algorithm and Its Properties

What happens when preferences are not uniform? One of the most remarkable results from two-sided matching theory is that, even under non-uniform preferences, a stable matching (or set of stable matchings) exists in every monogamous matching system. To prove this, it is sufficient to describe an algorithm by which a stable matching can be constructed for any such system. We need not suppose that pairing actually occurs by this algorithm in the system we are considering. Rather, the algorithm simply serves as a tool in the proof that a stable matching exists. Below, we outline the *deferred acceptance algorithm (DA)*.

The matching procedure then proceeds repeatedly through the following steps.

<Step 1> Each male not currently engaged displays to his favorite female that has not already rejected him. If no acceptable females remain, he remains unmated.

<Step 2> Each female who has received one or more courtship displays in this round rejects all but her highest-ranked acceptable male. This may involve rejecting a previously engaged male.

<Step n> After a large number of rounds, no new displays will be made.

At this point, the algorithm terminates. All females are paired with the male to whom they are currently engaged; individuals not engaged remain unmated. The matching μ generated in this way is easily seen to be stable. No male wishes to leave his mate at μ for a female who prefers him to her mate at μ , because each male reached his current mate by sequentially courting females in order of preference. No female wishes to leave her mate at μ for a male who prefers her to his mate at μ , because she will have already received a courtship display from any male who is not matched to a female that he prefers to her.

Reversing the algorithm, so that the females display and the males accept or reject courtships, will also lead to a stable matching; this matching may be a different one than that found by the male-courtship form of the algorithm. However, the set of individuals remaining unmated is the same in every stable matching of any given monogamous mating system.

As above-mentioned, Deferred Acceptance Algorithm is defined (1) Man-optimal stable matching or (2) Woman-optimal stable matching. That is (1) the matching h_M produced by the deferred acceptance algorithm with men proposing is the M-optimal stable matching, or, (2) the W-optimal stable matching is the matching h_w produced when the women propose (Gale and Shapley). And it's emerged that the best outcome for one side of the market is the worst for the other. i.e. M-optimal

stable matching is the worst for women. And W-optimal stable matching is the worst for men (Knuth (1972)).

Much of two-sided matching theory is concerned with determining the conditions under which stable matchings exist, and by what matching algorithms these matchings can be achieved. I refer to the relationship between the concept of Pareto optimality and the stability of a matching. Pareto optimality requires that no change exists that better pairs for every individual in the population. The concept of a stable matching is stronger than that of a 'Pareto optimal' matching, in that every stable matching is Pareto optimal, but not every Pareto optimal matching is stable. Pareto optimality requires that no two individuals wish to elope together and would receive the consent of their partners. Stable matching, by contrast, requires that no two individuals wish to elope together, whether or not their partners would consent.

It may be helpful to look at this problem with some concrete example. Consider a group of women (Ann, Betty and Carol) and a group of men (Dave, Eddy and Frank). The preferences of those are given in Table 1.

Table 1. Preferences among three women and men

(3 represents the highest preference and 1 represents the lowest)

	Dave	Eddy	Frank
Ann	2	2	2
Betty	3	3	1
Carol	1	1	3

In this matching system, there are two stable matchings. One (call it μ_1) pairs Betty with Dave, Ann with Eddy, and Carol with Frank. The other, μ_2 , pairs Betty with Frank, Ann with Dave, and Carol with Eddy. Any other matching will allow at least one blocking individual or pair. For example, the matching that pairs Betty with Frank, Ann with Dave, and Carol with Eddy has as the blocking pair Betty and Dave; in this matching, Betty and Dave would willingly elope together. In fact, since Betty and Dave are one another's best choices, *any* matching μ_* which does not pair them together will be blocked by this pair. If we are interested in yielding all stable matchings, we can remove Betty and Dave from the preference list, yielding the reduced preference list given in Table 2.

Table 2. Two-sided matching when Betty and Dave are removed from Table 1.

	Eddy	Frank
Ann	2 1	1 2
Carol	1 2	2 1

When all preferences are uniform – that is, when all males have the same preferences over females and vice versa – it is easy to see that a unique stable matching exists. To see this for monogamous matching systems, label the members of each sex by the preferences of the other sex (so that the best-ranking male m_1 is the best choice of the females, m_2 is the second choice, etc.). Under this system, the only possible stable matching will be approved.

4 Proposed New Algorithms

Before we state our algorithms, we define utility measures. In this section, we propose two new algorithms based on the hypothesis bounded rationality. In this paper, we propose a new algorithm for two-sided matching some compromise at individual levels. We also obtain large-scale properties of the proposed algorithm. It is an important issue how far agents seek their own interests in a competitive environment. There are overwhelming evidences that support peoples are also motivated by concerns for fairness and reciprocity. We will show that compromise which is individually irrational improves the welfare of the whole groups. The reasonable compromise level is obtained as the function of the size of the group so that the social utility should be maximized.

<Definition>

There are two disjoint sets of agents, groups of men = $\{m_1, \dots, m_n\}$, and women = $\{f_1, \dots, f_n\}$. Associated with each side is the number of positions they have to offer. Agents on each side of the market have (transitive and strict) preferences over agents on the other side, with presented a simple model in which college applicants have ordinal preferences over schools, and colleges have ordinal preferences over applicants.

N : the size of each group

T : the preference level of the partner to be matched($1 \leq T \leq N$)

(1) Individual utility(utility of agent i) $U_i = 1 - T_i / N$

(2) Utility of a pair of agent i and agent j (4.1)

$$P_{ij} = U_i \times U_j$$

(3) Social utility $S = \sum P_{ij}$

We propose a new algorithm based on concept of compromise of individual.

4.1 Acceptance with Compromise (Patience) : ASC

One of the new algorithm is <Modified deferred Algorithm with Compromise>. It's natural that the optimal strategy is to behave as if the individuals can profit the maximum. But like prisoner's dilemma game everyone knows, the social best optimum is to act in concert. Similarly, in the marriage problem we wonder if the social optimal point exists when the individuals compromise acceptable level. It happens that no compromise result in the lowest social utility because of the large difference satisfaction with disappointment, and increasing matching paired slowly. Moreover, it is sure that more compromise result the lowest social utility because many individuals can not be satisfied the outcome. However we can compromise at individual level properly, most of individuals somewhat can increase their satisfaction. Necessarily, we suppose that we can get the most social utility by increasing the pairs with somewhat satisfaction. For the present, it delays the discussion of this algorithm's efficacy till later, we thought about the value of the most optimal compromising level. It follows the simulation result.

<Step1> Each man proposes to his 1st choice. Proposed woman accepts the proposal if it is within the acceptable level, otherwise she rejects it (holding is not permitted).

<Step k> Each woman who is not matched increases the acceptable level by one. Any man who was rejected at step k-1 makes a new proposal to his most preferred woman mate who has not yet rejected him. A proposed woman accepts the proposal within the acceptable level, otherwise she rejects it.




Figure 1. The relationship between compromise level and Social Utility (N=1000)

We lock the value of N(=1000), agents number. We increase the compromise level (x-axis) by 0.1, and plot the calculated value. We can get the parabola like Figure 1. Therefore, maximum point of social utility becomes the most optimum compromise level point.




Figure 2. The relationship between the compromising level and N_i the number of agent of each group

The relation between compromise (C) and N is approximation by

$$C = 1.077N^{0.5197} \cong \alpha\sqrt{N} \quad (1.2) \quad (4.2)$$

4.2 Advanced Deferred Acceptance : ADA

We also propose a new algorithm by modifying DA (Deferred Acceptance). In DA, female receive male's propose which is the female 's list even if his grade is low. Then, if female can be proposed the male who is higher-rank than engaged male in he list, she is mated with new male. All agents can be mated, then, they have to marry with engaged partner. This feature is that female can wait higher-rank partner by the time limit, but that female must marry with unpleasant male if she can't meet higher-rank male. This is like the double-edged sword. So, we set the borderline, we tried relieving the female's disaffection. We suppose we can progress the social utility. Each individuals usually have the minimum standard, but we set it on purpose. The algorithm works as follows.

<Step 1> Each male propose the highest-rank female. Each female reject if the proposing male is outside borderline. If not, each female engage.

<Step k> Each female who has received one or more courtship displays in this round rejects all but her highest-ranked acceptable male. This may involve rejecting a previously engaged male.

<Step n> After a large number of rounds, no new displays




Figure 3. The relationship between the borderline the member of agents N

We now the simulation results. As show these figures, we can get reasonable borderlines as the function of the problem size (the number of agents N).

The breaking point of the borderline means occurrence of unpaired agents. The figures also show that good setting of the borderline can progress the social utility. However, setting of the borderline is different from each circle scale.

4.3 Comparison of Proposed Algorithms

Then, we compare using a simple example. When each person can mate with the most preference partner, he or she can get 3 point. The second partner, 2 point. The third partner, 1 point. We can get the matrix. The result differs from the algorithm.

Table 3. Matching generated by each algorithm

	(a) DA	(b) ASC	(c) ADA																																																
	(Social Utility =16/27)	(Social Utility =18/27)	(Social Utility = 17/27)																																																
	<table border="1" style="border-collapse: collapse; width: 100%;"> <thead> <tr> <th></th> <th>Dave</th> <th>Eddy</th> <th>Frank</th> </tr> </thead> <tbody> <tr> <th>Ann</th> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> </tr> <tr> <th>Betty</th> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <th>Carol</th> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>		Dave	Eddy	Frank	Ann	2	2	2	Betty	3	3	1	Carol	1	3	2	<table border="1" style="border-collapse: collapse; width: 100%;"> <thead> <tr> <th></th> <th>Dave</th> <th>Eddy</th> <th>Frank</th> </tr> </thead> <tbody> <tr> <th>Ann</th> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> </tr> <tr> <th>Betty</th> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <th>Carol</th> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>		Dave	Eddy	Frank	Ann	2	2	2	Betty	3	3	1	Carol	1	3	2	<table border="1" style="border-collapse: collapse; width: 100%;"> <thead> <tr> <th></th> <th>Dave</th> <th>Eddy</th> <th>Frank</th> </tr> </thead> <tbody> <tr> <th>Ann</th> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> <td style="text-align: center;">2</td> </tr> <tr> <th>Betty</th> <td style="text-align: center;">3</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <th>Carol</th> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>		Dave	Eddy	Frank	Ann	2	2	2	Betty	3	3	1	Carol	1	3	2
	Dave	Eddy	Frank																																																
Ann	2	2	2																																																
Betty	3	3	1																																																
Carol	1	3	2																																																
	Dave	Eddy	Frank																																																
Ann	2	2	2																																																
Betty	3	3	1																																																
Carol	1	3	2																																																
	Dave	Eddy	Frank																																																
Ann	2	2	2																																																
Betty	3	3	1																																																
Carol	1	3	2																																																

The gray point of the matrix is matching point. In this case, female proposed male. ASP matching is the most highest social utility. We can say DA become W-optimal matching, social utility happen lower. You know ASC is compromise algorithm, the rubricate point is Betty and Dave were not mated even if they selected the best each other. The effects progress social utility. Thus, compromise behavior which is irrational can progress social utility, not self-interested hypothesis.

5 Simulation Results

We generate the preference list of the agents at random. A agent belong to the each group is matched using three algorithm simulation (*Deferred Acceptance(DA)*, *Acceptance with Compromise (ASC)*, *Advanced Deferred Acceptance(ADA)*). Then, we compare about the distribution of availability about each agents or blocking pair, and the social utility. It follows the simulation result ($N = 1,000$), that is the distribution of availability.




Figure 4. The utility distribution of men who propose to women




Figure 5. The utility distribution of women who are proposed from men

These figures describe the utility distribution of each side. To be sure, the Figure 4 shows that there are many agents near 1 utility in DA. Opposite, the Figure 5 show that agents utility distributes flatly. Moreover, the y-axis maximum value of the Figure 5 is 45, in contrast Figure 4 is 200. These are why DA is called the *M-optimal* (Proposing side optimal) algorithm.

Then, Figure 4 shows that ASC and ADA distribute more flatly than DA. But the utility of both of side are modestly similar. In addition, almost of agents gather around 1. So, they can assume *Pair-optimal* and high utility. Additionally, the utility of Pair follows Figure 6.




Figure 6. Utility distribution of the Pairs

This figure shows the distribution of utility which pairs have. Almost pairs satisfy the outcome of the matching. Especially, ASC heaps many pairs around utility 1. As pair utility, DA is not as well as proposing utility. That is proposed agents must accept all proposing without reference to the self-preference lists. It is natural that many proposing agents can satisfy the outcome, but proposed agents can not. In other word, DA have many satisfied proposing agents, few proposed agents. Consequently, the utility of the Pair hold lower than ASC and ADA. Then, we can get the higher utility of pair with some compromises or borderlines.

We can describe the social utility by liner function. Figure 7 shows social utility in ASC, ADA is higher than in DA. Especially, the more the circle scale is bigger. When the circle scale is small, in ASC social utility can be lower, because compromise level is large percentage against N. In small circle scale social utility in DA can be higher than ASC. But we can get high social utility in ASP in large circle.




Figure 7. Comparison of social utility of three algorithms (DA, ASC, ADA)

6 Theoretical Analysis of the Optimal Compromise Level

We obtained the relationship between the optimal compromise level and the population size in (3.2) by simulation. In this section, we obtain it theoretical analysis. We define the following terminologies:

g : The number of paired couples at each step

f : The number of unmatched agents

C : The Compromise level

Then we have the following initial cavelits

$$g_{(0)} = C \quad (6.1)$$

$$f_{(0)} = N - C \quad (6.2)$$

From the definition, we have the following recursive equations.

$$g(t) = f(t-1) * \frac{C+t}{N} * \frac{f(t-1)}{N} \quad (6.3)$$

$$\text{Where we have } f(t) = f(t-1) * (1 - f(t-1)) * \frac{(C+t)}{N^2} \quad (6.4)$$

<The proof>

In the case, the contents of preference lists each agents have are at random, paired couple arise at random, too. Each side scale is N agents, the compromise level is C , we suppose. g is the number of paired couples on the step, f describes the number of other free agents.

<Step1> Each N agents on one side propose the other side best partner, then, the probability of accepting proposal is C/N . So, on the first step, the number of paired-couple is $g_0 = N \times C/N = C$ (1), and the number of free agents (who are still single, non-couple) is $f_{(0)} = N - g_{(0)} = N - C$. (6.5)

<Step t> The agents of $f_{(t-1)}$ propose the t^{th} partners of each preference lists. The probability that the t^{th} partners of each preference lists is still free is $\frac{f_{(t-1)}}{N}$, and the probability of the accepting proposal is $\frac{C+t}{N}$. Then, the number of paired couple on the step t is $g(t) = f_{(t-1)} * \frac{C+t}{N} * \frac{f_{(t-1)}}{N}$. (6.6)

On this step, the number of free agents is $f(t) = f_{(t-1)} - g(t)$.

$$\text{That is } f(t) = f_{(t-1)} * (1 - f_{(t-1)}) * \frac{(C+t)}{N^2} \quad (6.7)$$

If we solve the recursive equation (4), we have $C \approx 1.3\sqrt{N}$.

We could get the approximation. After, we had verification of the justice, it is sure that there is a little difference between the value of simulation's result (1.2) and theoretical result (1.3). That is the utility of proposed side in theoretical equation involve a little error, nevertheless, when we suppose the large scale, we can the compromise level set the approximation (1.2).

7 Comparison of Scaling properties with DA

The man-oriented GS algorithm starts from a man m making a proposal to the first woman w on his list. If she accepts they get married, if she refuses m goes on

proposing to the next woman on his list. w accepts a proposal when either she is not engaged or she is engaged with a man m' worse than the one proposing (m). In the latter case, m' will have to go on proposing to the woman following w on his list. When all men have run through their lists proposing until all women are married, the algorithm stops and the matching thus reached is a stable matching.

It can be shown that the man-oriented GS algorithm yields the man-optimal stable matching in the sense that no man can have a better partner in any other stable matching. It is rather surprising that though men get rejections nearly all the time and just one positive answer, they are far better off than women. On the other hand women who take the pleasure by saying no to almost all the suitors except one who is best among her suitors, will end up in a marriage that is the worst among all possible stable ones. The lesson is that the person who takes initiative is rewarded.

In order to quantify more precisely this statement, it is enough to observe that i) once a woman is first engaged, she will remain engaged (eventually with different men) forever, and that ii) the total energy for men in the man-optimal GS equals the total number of proposals men need to make to marry all women. Proposals by men define an intrinsic time in the algorithm. Imagine that at time t (i.e. after t proposals) the k th woman gets engaged. In view of the randomness of the preference lists, the probability that the next proposal is addressed to one of the $N - k$ free women is $1 - k/N$. On average, men will need $N/k = \{t+1 - t\}$ proposals to engage one more woman. Since the total energy for men is $N\varepsilon_M = t_N$, therefore, the energy of man such as

$$\varepsilon_M = \sum_{k=1}^N \frac{1}{k} \approx \log N + C \quad (7.1)$$

where $C = 0.5772 \dots$ is Euler's constant[5]. Taking into account that men do not propose twice to the same woman yields a correction of $O((\log N)^2/N)$ to equals (7.1). On the average each woman receives $\log N + C$ proposals of men who are randomly distributed between 1 and N on her preference list. Keeping only the best proposal the women arrive at an energy of the order of

$$\varepsilon_F \approx N / \log N \quad (7.2)$$

which is much larger than the corresponding result (7.1) for the men.

From this we can compute the average energy for the m^{th} man $\varepsilon_H = \sum q P_H(q)$. This leads to the relation

$$\varepsilon_H * \varepsilon_F = N \quad (7.3)$$

In other words, in stable matchings, for random instances of the marriage problem, **the energies for men and women are inversely proportional.**

8 Conclusion

Deferred Acceptance has universally used since it suggested for 40 years. To be sure, this is very brilliant method for two sided matching, but it has a demerit which is a *M-optimal* algorithm. This research pursued that we produced the moderate equality for each side. We suggested two algorithms. The first is the matching of the compromise ASC, the second is the matching of using borderline in DA, ADA. We use agent-based simulation, we inspect each algorithm's quality and social utility. We could show *pair-optimal* matching by using ASC. I mean, to be sure compromise behavior is an individually irrational, but is not in macro world. Compromise (Patient) behavior link collaboration, and eventuate high efficiency. The main reason is sure that much compromise profit better partner not the best partner. For many agents, the best partner exists only one, but better partner exist more. Many agents can moderately satisfy, therefore, social utility is getting better globally.

Besides, we produced ADA as an improved version, we injected the borderline of the proposed side, could overcome the disadvantage the side of the proposed. As a result, we could produce the welfare of the society. In addition, the balance of proposing side and proposed side can keep well. It is sure that proposing side utility gets down totally, but commensurately proposed side utility is getting better. Globally, we can get higher social utility outcome. It may natural that compromise or borderline profit social utility globally, nevertheless DA is the best individually. But we will not insist the new algorithms performance. We suppose, when we design the rule or institution in many of two sided matching problems like to students and colleges, workers and firms, marriageable men and women, compromise which is irrational behavior can bring higher social payoff for many people and the rule itself. In conclusion, Self-interested Hypothesis vs Human Sociality Hypothesis follows. How far agents seek their own interest in a competitive environment? There are overwhelming evidences that support people are also motivated by concerns for fairness and reciprocity. For this mentioned above question, we showed that compromise, an individually irrational behavior, improves the welfare of others.

References

- [1] Crawford, V.P. and Knoer, E.M. 1981. Job matching with heterogeneous firms and workers. *Econometrica*, 49: 437–450.
- [2] Cunningham, E.J.A. and Birkhead, T.R. 1988. Sex roles and sexual selection. *Anim. Behav.*, 56: 1311–1321.

- [3] Gale, D. and Shapley, L.S. 1962. College admissions and the stability of marriage. *Am. Math.Monthly*, 69: 9–15.
- [4] Knuth, D.E. 1976. *Stable Marriage and its Relation to other Combinatorial Problems*. CRM Proceedings and Lecture Notes Vol. 10, English language edition. Providence, RI: American Mathematical Society. Originally published in French under the title *Mariages stables et leurs relations avec d'autres problèms combinatoires*.
- [5] Marie-jose Omero, Michael Dzierzawa, Matteo Marsili, Yi-Cheng Zhang 2004. *Scaling Behavior in the Stable Marriage Problem*. cond-mat/9708181
- [6] Mongell, S. and Roth, A.E. 1991. Sorority rush as a two-sided matching mechanism. *Am. Econ. Rev.*, 81: 441–464.
- [7] Roth, A.E. 1982. The economics of matching: Stability and incentives. *Math. Operations Res.*, 7: 617–628.
- [8] Roth, A.E. 1984. The evolution of the labor market for medical interns and residents: A case study in game theory. *J. Political Econ.*, 92: 991–1016.
- [9] Roth, A.E. 1989. Two-sided matching with incomplete information about others' preferences. *Games Econ. Behav.*, 1: 191–209.
- [10] Roth, A.E. 1990. New physicians: A natural experiment in market organization. *Science*, 250:1524–1528.
- [11] Roth, A.E. 1991. A natural experiment in the organization of entry-level labor markets: Regional markets for new physicians and surgeons in the United Kingdom. *Am. Econ. Rev.*, 81: 415–440.
- [12] Roth, A.E. and Sotomayor, 1990. *Two-sided Matching: A Study in Game-theoretic Modeling and Analysis*. *Econometric Society Monographs* No. 18. New York: Cambridge University Press.
- [13] Roth, A.E. and Vande Vate, J.H. 1990. Random paths to stability in two-sided matching. *Economet-rica*, 58: 1475–1480.
- [14] Shapley, L.S. and Shubik, M. 1972. The assignment game I: The core. *Int. J. Game Theory*, 1:111–130.